















16. Thomas M, Massa G, Craen M, de Zegher F, Bourguignon JP, Heinrichs C et al. Prevalence and demographic features of childhood growth hormone deficiency in Belgium during the period 1986-2001. *Eur. J. Endocrinol*, 2004;151(1):67-72.
17. Lindsay R, Feldkamp M, Harris D, Robertson, Rallison J. Utah Growth Study: growth standards and the prevalence of growth hormone deficiency. *J. Pediatr*, 1994;125(1):29-35.
18. Deal CL, Tony M, Höybye C, Allen DB, Tauber M, Christiansen JS et al. Growth Hormone Research Society workshop summary: consensus guidelines for recombinant human growth hormone therapy in Prader-Willi syndrome. *J. Clin. Endocrinol. Metab*, 2013;98(6):E1072-E87.
19. Tsochev K, Stoycheva R, Iotova V, Karamfilova T, Markovska V, Halvadzhian I et al. Results from the Implementation of a 2 Year Growth Awareness and Growth Disorders Screening Campaign (GrowInform). in 58th Annual ESPE. 2019. European Society for Paediatric Endocrinology.
20. Stochholm K, Juul S, Juel K, Naeraa RW, Gravholt CH. Prevalence, incidence, diagnostic delay, and mortality in Turner syndrome. *J Clin Endocrinol Metab*, 2006;91(10):3897-902.
21. Maghnie M, Lindberg A, Koltowska-Haggstrom M, Ranke MB. Magnetic resonance imaging of CNS in 15,043 children with GH deficiency in KIGS (Pfizer International Growth Database). *Eur J Endocrinol*, 2013;168(2):211-7.
22. Collett-Solberg PF, Jorge AA, Boguszewski MC, Miller BS, Choong CSY, Cohen P et al. Growth hormone therapy in children; research and practice—A review. *Growth Horm IGF Res*, 2019;44:20-32.
23. Collett-Solberg PF, Ambler G, Backeljauw PF, Bidlingmaier M, Biller BMK, Boguszewski MCS et al. Diagnosis, Genetics, and Therapy of Short Stature in Children: A Growth Hormone Research Society International Perspective. *Horm Res Paediatr*, 2019:1-14.
24. Parra A, Argote RM, García G, Cervantes C, Alatorre S, Pérez-Pasten E. Body composition in hypopituitary dwarfs before and during human growth hormone therapy. *Metab.: Clin. Exp*, 1979;28(8):851-7.
25. Boot AM, Engels MA, Boerma GJ, Krenning EP de Muinck Keizer-Schrama SM. Changes in bone mineral density, body composition, and lipid metabolism during growth hormone (GH) treatment in children with GH deficiency. *J. Clin. Endocrinol. Metab*, 1997;82(8):2423-8.
26. Carrel AL, Myers SE, Whitman BY, Eickhoff J, Allen DB. Long-term growth hormone therapy changes the natural history of body composition and motor function in children with Prader-Willi syndrome. *J Clin Endocrinol Metab*, 2010;95(3):1131-6.
27. Cohen P, Bright GM, Rogol AD, Kappelgaard AM, Rosenfeld RG and A.N.C.T. Group. Effects of dose and gender on the growth and growth factor response to GH in GH-deficient children: implications for efficacy and safety. *J. Clin. Endocrinol. Metab*, 2002;87(1):90-8.
28. Ho KK. Consensus guidelines for the diagnosis and treatment of adults with GH deficiency II: a statement of the GH Research Society in association with the European Society for Pediatric Endocrinology, Lawson Wilkins Society, European Society of Endocrinology, Japan Endocrine Society, and Endocrine Society of Australia. *Eur J Endocrinol*, 2007;157(6):695-700.
29. Akaltun I, Cayir A, Kara T, Ayaydin H. Is growth hormone deficiency associated with anxiety disorder and depressive symptoms in children and adolescents?: A case-control study. *Growth Horm IGF Res*, 2018;41:23-7.
30. Silva N, Bullinger M, Sommer R, Rohenkohl A, Witt S, Quitmann J. Children's psychosocial functioning and parents' quality of life in paediatric short stature: The mediating role of caregiving stress. *Clin Psychol Psychother*, 2018;25(1):e107-e18.